

Exposure Risk Categories

HIGH

- Living in the same household as, being an intimate partner of, or providing care in a nonhealthcare setting (such as a home) for a person with symptomatic laboratory-confirmed 2019-nCoV infection *without using recommended precautions for home care and home isolation*.
 - The same risk assessment applies for close contact with a person diagnosed clinically with 2019-nCoV infection outside of the US who did not have laboratory testing.
- Travel from Hubei Province, China

MEDIUM

- Close contact with a person with symptomatic laboratory-confirmed 2019-nCoV, and not having any exposures that meet a high-risk definition.
 - The same risk assessment applies for close contact with a person diagnosed clinically with 2019-nCoV infection outside of the US who did not have laboratory testing.
 - On an aircraft, being seated within 6 feet of a traveler with symptomatic laboratory-confirmed 2019-nCoV infection; this distance correlates approximately with 2 seats in either direction.
- Living in the same household as, an intimate partner of, or providing care in a nonhealthcare setting (such as a home) for a person with symptomatic laboratory-confirmed 2019-nCoV infection *while consistently using recommended precautions* for home care and home isolation.
- Travel from mainland China outside Hubei Province AND not having any exposures that meet a high-risk definition.

LOW

- Being in the same indoor environment (e.g., a classroom, a hospital waiting room) as a person with symptomatic laboratory-confirmed 2019-nCoV infection for a prolonged period of time but not meeting the definition of close contact.
- On an aircraft, being seated within two rows of a traveler with symptomatic laboratory-confirmed 2019-nCoV infection but not within 6 feet AND not having any exposures that meet a medium or a high risk definition.

No Identifiable Risk : interactions with a person with symptomatic laboratory-confirmed 2019-nCoV that do not meet any of the above conditions, such as walking by the person or briefly being in the same room.

Management of Persons with Potential Exposure: ASYMPTOMATIC

Risk Category	Movement Restrictions	Monitoring
HIGH	Remain quarantined (voluntarily or under public health orders on a case-by-case basis) in a location to be determined by public health authorities. No public activities.	Daily active monitoring
MEDIUM	To the extent possible, remain at home or in a comparable setting. Avoid congregate settings, limit public activities, and practice social distancing.	Travelers from mainland China outside Hubei Province with no known high-risk exposure: Self-monitoring with public health supervision All others in this category: Active monitoring
LOW	No restriction	Self-observation
NO IDENTIFIABLE RISK	No restriction	None

Management of Persons with Potential Exposure: SYMPTOMATIC

Risk Category	Movement Restrictions	Medical Evaluation
HIGH	Immediate Isolation	Medical evaluation is recommended; diagnostic testing for 2019-nCoV should be guided by CDC's PUI definition but is recommended for symptomatic people with a known high-risk exposure.
MEDIUM	Immediate Isolation	Medical evaluation and care should be guided by clinical presentation; diagnostic testing for 2019-nCoV should be guided by CDC's PUI definition.
LOW	Recommendation to avoid contact with others and public activities while symptomatic.	Person should seek health advice to determine if medical evaluation is needed. If sought, medical evaluation and care should be guided by clinical presentation; diagnostic testing for 2019-nCoV should be guided by CDC's PUI definition.
NO IDENTIFIABLE RISK	No restriction	Routine medical care